

MANCHESTER & WINCHESTER DIRECT VENT



WARM WELCOME

Nothing invites or delights like dancing flames of a fire. For thousands of years fire has been the focal point of hearth and home and, like so many families before, we invite you to sit by ours and enjoy their warmth and beauty.



The Manchester direct vent fireplace (MDV)



The Manchester direct vent fireplace (MDV)

MANCHESTER & WINCHESTER SERIES

Direct Vent Fireplaces

Make the beauty and warmth of fire the centre of your home with a direct vent fireplace from Monessen. Available in two models to suit your particular design requirements, the Manchester 500/600 and the Winchester 500 from Monessen provide up to 902 square inches of viewing area and up to 34,000 BTU's.

Customize your fireplace to suit your personal taste with our many optional accessories and finishes including trim and louver choices, firebrick options and decorative front frames or fire screen doors.

Bring the cozy comfort of fire into your home: warm up to a Manchester or Winchester direct vent fireplace from Monessen today.



The Winchester direct vent fireplace (MLDV)

STANDARD FEATURES FOR ALL UNITS:

- Glowing ceramic fiber logs featuring a Natural Blaze burner with random dancing flames and large ember bed
- Natural or propane field convertible
- Flexible connector with On/Off valve included
- Approved for installation with Simpson Dura Vent, Selkirk Metalbestos or Metal Fab direct vent chimney
- Includes 15' of preinstalled millivolt wire with wall switch and cover
- Junction box included for electrical hook up



Deluxe control panel

MDV Manchester

- Millivolt with on/off switch and variable flame height control or electronic ignition in natural gas or propane
- Removable unitized black louver assembly for ease of installation
- Patent field convertible vent technology for venting horizontally or vertically
- Available in two sizes: 36" or 42"
- Optional firebrick and faces available


MLDV Winchester

- Contemporary clean face design for full glass appearance
- Patent field convertible vent technology for venting horizontally or vertically
- One size to fit your décor: 36"

Manchester & Winchester Direct Vent Systems

Model	MDV500 - Manchester	MDV600 - Manchester	MLDV500 - Winchester
BTU / HR	21,000 - 30,000 NG / 23,500 - 30,000 LP	22,000 - 32,000 NG / 26,000 - 32,000 LP	22,000 - 34,000 NG / 27,000 - 34,000 LP
FE Ratings (Cdn. Fireplace Efficiency)	71.7% NG / 77.0% LP	71.0% NG / 77.7% LP	70.5% NG / 76.4% LP
Thermal Efficiency	Up to 80%	Up to 80%	Up to 80%
Dimensions (Actual)	41"W x 40 3/8"H x 20 3/4"D	47"W x 40 3/8"H x 20 3/4"D	41"W x 44 3/8"H x 22 1/4"D
Dimensions (Framing)	42"W x 46 1/2"H x 20 3/8"D	48 1/16"W x 46 1/2"H x 20 3/8"D	42 1/2"W x 51"H x 22 1/4"D
Viewing Area	23 3/16"H x 32 3/16"W (746 sq. in.)	23 3/16"H x 39"W (904 sq. in.)	27 5/16"H x 33"W (902 sq. in.)
Blower	Optional	Optional	Optional

Optional Accessories



Touch Light™ table top/wall mount TLM on/off and TLT thermostat remote control with receiver



BLOTSDV variable thermostat dual blower for MDV & MLDV units



Programmable wireless wall thermostat with receiver



Multi-functional Ambient Technologies® remote controls available for all units



Medium Black Medium Gold Medium Pewter

See our Ambient Technologies® catalog for a complete line of remotes and thermostats.

Firebrick Options



Cottage Clay



Cottage Red



Vintage Brown



Andirons for MLDV

Medium and curved trim kits available for MDV

Also Available:

- Classic and Manor Faces for MDV
- Decorative black mesh screen cover
- Corner or wall cabinets for MDV



A Brand of Monessen Hearth Systems Co.
149 Cleveland Drive, Paris, Kentucky 40361

www.monessenhearth.com

Your Monessen Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2008 Monessen Hearth Systems Co.

Ver.03 MON7908INT